



Water Monitoring Result at Monitoring Station E - Channelized nullah across the Project site (Upstream Control Station)

Date	Time	Weater Condition	Sampling Depth	Water Temperature °C			pH			Salinity ppt			DO Saturation %			DO mg/L			Turbidity NTU			Suspended Solids mg/L	
				m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	
1/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
4/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
6/3/2024	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
8/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
11/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
13/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
15/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
18/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
20/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
22/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
25/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
27/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-

Remarks:

Single underline denotes exceedance over Action Level.

Double underline denotes exceedance over Limit Level.

Upstream Monitoring Station (Monitoring Station E) would be taken as control reference for exceedance investigation only.



Water Monitoring Result at Monitoring Station F - Channelized nullah across the Project site (Downstream Impact Station)

Date	Time	Weater Condition	Sampling Depth	Water Temperature °C			pH -			Salinity ppt			DO Saturation %			DO mg/L			Turbidity NTU			Suspended Solids mg/L	
			m	Value		Average	Value		Average	Value		Average	Value		Average	Value		Average	Value		Average	Value	Average
1/3/2024	9:30	Fine	Surface	18.60	18.60	18.60	8.34	8.34	8.3	0.11	0.11	8.34	95.9	95.7	8.34	7.83	7.77	8.3	6.55	6.66	8.3	5.3	5.1
	9:32			18.60	18.60		8.34	8.34		0.11	0.11		94.7	94.8		7.73	7.24		6.66	6.65		4.8	
4/3/2024	9:12	Fine	Surface	16.00	16.00	16.00	8.10	8.10	8.1	0.08	0.08	8.10	95.6	95.5	8.10	9.40	9.39	8.1	11.39	11.51	8.1	7.9	7.7
	9:14			16.00	16.00		8.10	8.10		0.08	0.08		95.8	95.1		9.42	9.35		11.54	11.57		7.4	
6/3/2024	9:00	Cloudy	Surface	19.30	19.30	19.30	8.04	8.04	8.0	0.09	0.09	8.04	101.7	101.9	8.04	9.37	9.39	8.0	2.75	7.72	8.0	2.7	2.5
	9:02			19.30	19.30		8.04	8.04		0.09	0.09		101.6	101.5		9.36	9.35		2.54	2.58		2.3	
8/3/2024	9:25	Fine	Surface	19.40	19.40	19.40	8.08	8.08	8.1	0.07	0.07	8.08	97.9	96.4	8.08	8.99	8.85	8.1	2.66	2.65	8.1	1.8	1.8
	9:27			19.40	19.40		8.08	8.08		0.07	0.07		95.4	96.0		8.76	8.82		2.65	2.65		<1.0	
11/3/2024	9:45	Fine	Surface	19.30	19.30	19.30	8.05	8.05	8.1	0.06	0.06	8.05	94.9	94.9	8.05	8.70	8.58	8.1	4.13	4.24	8.1	1.7	2.0
	9:47			19.30	19.30		8.05	8.05		0.06	0.06		94.7	94.7		8.62	8.66		4.15	4.15		2.3	
13/3/2024	9:20	Fine	Surface	19.00	19.00	19.00	8.00	8.00	8.0	0.07	0.07	8.00	91.1	91.3	8.00	8.25	8.27	8.0	3.46	3.49	8.0	2.5	2.3
	9:22			19.00	19.00		8.00	8.00		0.07	0.07		90.2	90.3		8.17	8.17		3.48	3.52		2.0	
15/3/2024	9:17	Fine	Surface	20.00	20.00	20.00	7.98	7.98	8.0	0.07	0.07	7.98	84.8	85.0	7.98	7.68	7.69	8.0	2.33	2.32	8.0	3.6	7.6
	9:19			20.00	20.00		7.98	7.98		0.07	0.07		85.1	85.2		7.70	7.71		2.32	2.32		11.5	
18/3/2024	10:40	Fine	Surface	19.60	19.60	19.60	7.99	7.99	8.0	0.10	0.10	7.99	89.3	86.3	7.99	8.18	7.90	8.0	7.45	7.80	8.0	1.1	1.9
	10:42			19.60	19.60		7.99	7.99		0.10	0.10		85.2	89.1		7.80	8.15		7.65	7.85		2.6	
20/3/2024	9:45	Fine	Surface	19.50	19.50	19.50	8.03	8.03	8.0	0.11	0.11	8.03	91.3	92.2	8.03	8.37	8.45	8.0	6.44	6.57	8.0	2.7	2.5
	9:47			19.50	19.50		8.03	8.03		0.11	0.11		91.9	91.1		8.42	8.35		6.71	6.63		2.3	
22/3/2024	9:45	Fine	Surface	21.40	21.40	21.40	7.93	7.93	7.9	0.10	0.10	7.93	88.6	88.5	7.93	7.82	7.82	7.9	3.88	3.85	7.9	1.2	2.1
	9:47			21.40	21.40		7.93	7.93		0.10	0.10		86.9	88.9		7.67	7.67		3.87	3.89		2.9	
25/3/2024	9:20	Fine	Surface	21.30	21.30	21.30	7.90	7.90	7.9	0.07	0.07	7.90	85.4	84.9	7.90	7.53	7.48	7.9	3.52	3.51	7.9	1.2	1.3
	9:22			21.30	21.30		7.90	7.90		0.07	0.07		85.0	85.2		7.50	7.51		3.51	3.50		1.4	
27/3/2024	10:00	Fine	Surface	18.20	18.20	18.48	8.00	8.00	8.0	0.06	0.06	8.00	95.0	94.8	8.00	8.70	8.58	8.0	3.10	3.03	8.0	1.4	1.6
	10:02			18.20	19.30		8.00	8.00		0.06	0.06		84.6	94.6		8.62	8.66		3.00	3.02		1.8	

Remarks:
Single underline denotes exceedance over Action Level.
Double underline denotes exceedance over Limit Level.

Water Monitoring Result at Monitoring Station H - Ma Yau Tong Stream (Upstream Control Station)

Date	Time	Weater Condition	Sampling Depth m	Water Temperature °C			pH			Salinity ppt			DO Saturation %			DO mg/L			Turbidity NTU			Suspended Solids mg/L	
				Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average
1/3/2024	8:55	Fine	Surface	18.40	18.50	18.48	7.40	7.40	7.40	4.53	4.53	4.53	79.7	79.7	79.70	6.23	6.23	6.23	10.24	10.03	10.11	1.7	1.8
	8:57			18.50	18.50		7.40	7.40		4.53	4.53		79.7	79.7		6.23	6.22		10.03	10.13		1.9	
4/3/2024	8:10	Fine	Surface	16.60	16.60	16.60	7.43	7.43	7.68	0.33	0.33	0.33	96.1	95.8	95.58	9.40	9.39	9.39	5.49	5.99	5.95	2.0	2.1
	8:12			16.60	16.60		7.93	7.93		0.33	0.33		95.5	94.9		9.42	9.35		6.01	6.30		2.2	
6/3/2024	8:10	Cloudy	Surface	19.00	19.00	19.00	7.99	7.99	7.99	0.77	0.77	0.77	93.9	93.7	93.78	8.66	8.65	8.65	7.15	7.13	7.20	2.2	2.4
	8:12			19.00	19.00		7.99	7.99		0.77	0.77		93.7	93.8		8.64	8.65		7.25	7.26		2.6	
8/3/2024	8:00	Fine	Surface	19.10	19.10	19.10	7.80	7.80	7.80	0.88	0.88	0.88	91.3	91.2	91.13	8.40	8.40	8.49	6.57	6.56	6.56	1.5	1.5
	8:02			19.10	19.10		7.80	7.80		0.88	0.88		91.0	91.0		8.78	8.38		6.56	6.56		1.5	
11/3/2024	8:30	Fine	Surface	19.30	19.30	19.30	7.88	7.88	7.88	0.80	0.80	0.80	94.3	94.3	93.60	8.63	8.64	8.57	7.70	7.70	7.70	2.2	3.4
	8:32			19.30	19.30		7.88	7.88		0.80	0.80		92.9	92.9		8.50	8.51		7.70	7.69		4.5	
13/3/2024	8:15	Fine	Surface	18.50	18.50	18.50	7.89	7.89	7.89	0.87	0.87	0.87	91.9	91.5	91.78	8.48	8.45	8.47	5.68	5.57	5.59	1.6	2.1
	8:17			18.50	18.50		7.89	7.89		0.87	0.87		91.9	91.8		8.48	8.48		5.52	5.57		2.5	
15/3/2024	8:30	Fine	Surface	18.90	18.90	18.90	7.75	7.75	7.75	0.77	0.77	0.77	89.4	89.5	89.60	8.24	8.25	8.26	5.10	5.60	5.16	11.6	11.5
	8:32			18.90	18.90		7.75	7.75		0.77	0.77		89.6	89.9		8.25	8.28		4.98	4.95		11.4	
18/3/2024	9:00	Fine	Surface	19.80	19.80	19.80	7.04	7.04	7.04	0.80	0.80	0.80	92.5	92.6	92.35	8.49	8.41	8.41	11.22	11.22	11.22	3.9	4.0
	9:02			19.80	19.80		7.04	7.04		0.80	0.80		92.2	92.1		8.37	8.37		11.22	11.22		4.1	
20/3/2024	8:05	Fine	Surface	19.80	19.80	19.80	7.98	7.98	7.98	0.74	0.74	0.74	94.7	94.5	94.25	8.09	8.57	8.41	9.18	9.59	9.28	4.6	4.4
	8:07			19.80	19.80		7.98	7.98		0.74	0.74		94.4	93.4		8.56	8.41		9.29	9.04		4.1	
22/3/2024	8:05	Fine	Surface	21.50	21.50	21.50	7.92	7.92	7.92	0.81	0.81	0.81	93.7	94.0	93.60	8.21	8.21	8.20	8.55	8.56	8.52	58.4	59.8
	8:07			21.50	21.50		7.92	7.92		0.81	0.81		93.4	93.3		8.19	8.19		8.50	8.45		61.2	
25/3/2024	8:10	Fine	Surface	21.70	21.70	21.70	7.85	7.85	7.85	0.69	0.69	0.69	90.6	90.5	90.50	7.93	7.92	7.92	8.15	8.11	8.11	6.6	6.3
	8:12			21.70	21.70		7.85	7.85		0.69	0.69		90.4	90.5		7.91	7.91		8.10	8.09		6.0	
27/3/2024	8:40	Fine	Surface	18.00	18.00	18.00	7.88	7.88	7.88	0.80	0.80	0.80	94.0	94.0	93.35	8.63	8.64	8.57	7.00	7.00	7.00	3.2	3.2
	8:42			18.00	18.00		7.88	7.88		0.80	0.80		92.5	92.9		8.50	8.51		7.00	7.00		3.2	

Remarks:

Single underline denotes exceedance over Action Level.

Double underline denotes exceedance over Limit Level.

Upstream Monitoring Station (Monitoring Station H) would be taken as control reference for exceedance investigation only.



Water Monitoring Result at Monitoring Station I - Ma Yau Tong Stream (Downstream Impact Station)

Date	Time	Weater Condition	Sampling Depth	Water Temperature			pH			Salinity			DO Saturation			DO			Turbidity			Suspended Solids	
				°C			-			ppt			%			mg/L			NTU			mg/L	
				Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average
1/3/2024	8:40	Fine	Surface	18.40	18.40	18.40	7.93	7.93	7.93	0.79	0.79	0.79	106.7	105.9	105.93	8.45	8.47	8.44	6.95	6.93	6.99	39.0	32.75
	8:42			18.40	18.40		7.93	7.93		0.79	0.79		105.4	105.7		8.42	8.40		7.03	7.04		26.5	
4/3/2024	8:35	Fine	Surface	16.50	16.50	16.50	7.84	7.84	7.84	0.30	0.30	0.30	94.2	93.9	93.80	9.17	9.14	9.13	5.75	5.63	5.60	2.0	2.15
	8:37			16.50	16.50		7.84	7.84		0.30	0.30		93.8	93.3		9.12	9.08		5.52	5.51		2.3	
6/3/2024	8:30	Cloudy	Surface	19.10	19.10	19.10	7.90	7.90	7.90	0.80	0.80	0.80	92.6	92.4	92.33	8.54	8.52	8.51	7.11	7.08	7.52	2.5	2.60
	8:32			19.10	19.10		7.90	7.90		0.80	0.80		92.6	91.7		8.53	8.45		8.99	6.89		2.7	
8/3/2024	8:30	Fine	Surface	19.20	19.20	19.20	7.78	7.78	7.78	0.85	0.85	0.85	87.1	85.7	88.13	8.01	8.07	8.15	6.45	6.43	6.42	5.7	5.95
	8:32			19.20	19.20		7.78	7.78		0.85	0.85		89.8	89.9		8.26	8.27		6.43	6.36		6.2	
11/3/2024	8:15	Fine	Surface	19.50	19.50	19.50	7.81	7.81	7.81	0.70	0.70	0.70	92.5	92.5	92.10	8.46	8.34	8.39	5.63	5.62	5.60	3.9	5.35
	8:17			19.50	19.50		7.81	7.81		0.70	0.70		91.7	91.7		8.38	8.39		5.61	5.53		6.8	
13/3/2024	8:35	Fine	Surface	18.30	18.30	18.30	7.80	7.80	7.80	0.50	0.50	0.50	80.8	80.9	81.15	7.45	7.96	7.60	3.36	3.35	3.34	5.1	3.35
	8:37			18.30	18.30		7.80	7.80		0.50	0.50		81.7	81.2		7.48	7.49		3.34	3.32		1.6	
15/3/2024	8:50	Fine	Surface	19.00	19.00	19.00	7.77	7.77	7.77	0.85	0.85	0.85	88.9	87.4	88.33	8.20	8.06	8.15	5.35	5.34	5.34	1.5	1.65
	8:52			19.00	19.00		7.77	7.77		0.85	0.85		88.3	88.7		8.15	8.18		5.34	5.34		1.8	
18/3/2024	9:35	Fine	Surface	19.70	19.70	19.70	7.81	7.81	7.81	0.85	0.85	0.85	88.6	90.0	90.03	8.04	8.17	8.17	9.99	9.99	10.07	3.7	3.75
	9:37			19.70	19.70		7.81	7.81		0.85	0.85		90.9	90.6		8.25	8.22		10.30	10.01		3.8	
20/3/2024	8:30	Fine	Surface	19.90	19.90	19.90	7.83	7.83	7.83	0.70	0.70	0.70	92.6	92.8	91.95	8.40	8.41	8.34	7.46	7.47	7.48	4.2	4.25
	8:32			19.90	19.90		7.83	7.83		0.70	0.70		91.1	91.3		8.25	8.28		7.49	7.49		4.3	
22/3/2024	8:30	Fine	Surface	21.70	21.70	21.70	7.19	7.19	7.19	0.78	0.78	0.78	87.9	88.2	87.80	7.70	7.70	7.69	5.83	5.82	5.82	62.3	62.00
	8:32			21.70	21.70		7.19	7.19		0.78	0.78		87.6	87.5		7.67	7.67		5.80	5.82		61.7	
25/3/2024	8:35	Fine	Surface	21.80	21.80	21.80	7.75	7.75	7.75	0.60	0.60	0.60	87.4	87.5	87.65	7.63	7.64	7.65	5.25	5.25	5.28	4.7	6.95
	8:37			21.80	21.80		7.75	7.75		0.60	0.60		87.8	87.9		7.66	7.67		5.28	5.35		9.2	
27/3/2024	8:20	Fine	Surface	18.20	18.20	18.20	7.80	7.80	7.80	0.70	0.70	0.70	92.0	92.1	92.30	8.46	8.34	8.39	5.70	5.60	5.64	6.6	5.05
	8:22			18.20	18.20		7.80	7.80		0.70	0.70		92.5	92.6		8.38	8.39		5.73	5.53		3.5	

Remarks:
Single underline denotes exceedance over Action Level.
Double underline denotes exceedance over Limit Level.



Water Monitoring Result at Monitoring Station AC1 - Channelized nullah across the Project site (Upstream Reference Station)

Date	Time	Weater Condition	Sampling Depth	Water Temperature		pH		Salinity		DO Saturation		DO		Turbidity		Suspended Solids	
			m	°C		-		ppt		%		mg/L		NTU		mg/L	
				Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
1/3/2024	-	Fine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
4/3/2024	-	Fine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
6/3/2024	-	Cloudy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
8/3/2024	-	Fine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
11/3/2024	-	Fine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
13/3/2024	-	Fine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
15/3/2024	-	Fine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
18/3/2024	-	Fine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
20/3/2024	-	Fine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
22/3/2024	-	Fine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
25/3/2024	-	Fine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
27/3/2024	-	Fine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												

Remarks:

Upstream Monitoring Station (Monitoring Station AC1) would be taken as reference for exceedance investigation only.

Water Monitoring Result at Monitoring Station AC2 - Channelized nullah across the Project site (Upstream Reference Station)

Date	Time	Weater Condition	Sampling Depth m	Water Temperature °C			pH -			Salinity ppt			DO Saturation %			DO mg/L			Turbidity NTU			Suspended Solids mg/L		
				Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average	
1/3/2024	9:20	Fine	Surface	18.40	18.40	18.40	8.39	8.39	8.39	0.12	0.12	0.12	102.1	106.4	102.25	8.27	8.21	8.22	6.58	6.13	6.24	5.4	5.50	
	9:22			18.40	18.40		8.39	8.39		0.12	0.12		100.3	100.2		8.20	8.19		6.13	6.13		5.6		
4/3/2024	9:02	Fine	Surface	16.10	16.10	16.10	8.13	8.13	8.13	0.08	0.08	0.08	96.7	96.8	96.83	9.51	9.52	9.52	13.46	13.15	13.30	6.40	6.20	
	9:04			16.10	16.10		8.13	8.13		0.08	0.08		96.9	96.9		9.53	9.53		13.57	13.02		6.00		
6/3/2024	9:10	Cloudy	Surface	19.30	19.30	19.30	8.05	8.05	8.05	0.09	0.09	0.09	100.4	100.5	100.30	9.24	9.25	9.23	3.57	3.50	3.52	2.8	2.90	
	9:12			19.30	19.30		8.05	8.05		0.09	0.09		100.2	100.1		9.22	9.21		3.50	3.50		3		
8/3/2024	9:15	Fine	Surface	19.00	19.00	19.00	8.10	8.10	8.10	0.08	0.08	0.08	95.8	95.2	95.95	8.80	8.75	8.82	2.17	2.30	2.21	1.4	2.10	
	9:17			19.00	19.00		8.10	8.10		0.08	0.08		96.3	96.5		8.85	8.89		2.18	2.19		2.8		
11/3/2024	9:30	Fine	Surface	19.50	19.50	19.50	8.06	8.06	8.06	0.06	0.06	0.06	89.4	89.4	89.50	81.90	8.20	45.11	5.66	5.65	5.66	2.6	2.00	
	9:32			19.50	19.50		8.06	8.06		0.06	0.06		89.6	89.6		82.10	8.24		5.67	5.66		1.4		
13/3/2024	9:10	Fine	Surface	19.20	19.20	19.20	8.05	8.05	8.05	0.08	0.08	0.08	89.6	89.2	89.55	8.10	8.07	8.10	2.50	2.50	2.48	2.4	4.10	
	9:12			19.20	19.20		8.05	8.05		0.08	0.08		89.7	89.7		8.12	8.12		2.47	2.43		5.8		
15/3/2024	9:07	Fine	Surface	20.20	20.20	20.20	7.99	7.99	7.99	0.07	0.07	0.07	77.9	78.0	78.15	7.06	7.06	7.08	5.38	5.45	5.45	2.2	7.80	
	9:09			20.20	20.20		7.99	7.99		0.07	0.07		78.2	78.5		7.08	7.10		5.46	5.49		13.4		
18/3/2024	10:30	Fine	Surface	19.40	19.40	19.40	8.01	8.01	8.01	0.10	0.10	0.10	92.2	92.5	92.20	8.46	8.48	8.46	18.22	18.24	18.24	2.1	2.25	
	10:32			19.40	19.40		8.01	8.01		0.10	0.10		92.5	91.6		8.48	8.40		18.25	18.26		2.4		
20/3/2024	9:35	Fine	Surface	19.50	19.50	19.50	8.11	8.11	8.11	0.20	0.20	0.20	89.5	89.1	88.70	8.21	8.17	8.14	5.63	5.63	5.60	3.3	2.20	
	9:37			19.50	19.50		8.11	8.11		0.20	0.20		88.5	87.7		8.11	8.05		5.63	5.51		1.1		
22/3/2024	9:35	Fine	Surface	21.30	21.30	21.30	7.97	7.97	7.97	0.10	0.10	0.10	91.7	91.9	91.55	8.11	8.11	8.10	6.65	6.63	6.62	3.2	2.60	
	9:37			21.30	21.30		7.97	7.97		0.10	0.10		91.4	91.2		8.08	8.08		6.60	6.60		2		
25/3/2024	9:10	Fine	Surface	21.50	21.50	21.50	7.92	7.92	7.92	0.08	0.08	0.08	87.7	87.6	87.40	7.73	7.73	7.70	4.41	4.43	4.43	1.5	2.10	
	9:12			21.50	21.50		7.92	7.92		0.08	0.08		87.2	87.1		7.68	7.67		4.45	4.44		2.7		
27/3/2024	9:40	Fine	Surface	18.30	18.30	18.30	8.02	8.02	8.02	0.06	0.06	0.06	89.4	89.4	89.50	81.90	8.20	45.11	5.70	5.65	5.69	2.2	2.45	
	9:42			18.30	18.30		8.02	8.02		0.06	0.06		89.6	89.6		82.10	8.24		5.76	5.65		2.7		

Remarks:

Upstream Monitoring Station (Monitoring Station AC2) would be taken as reference for exceedance investigation only.





Water Monitoring Result at Monitoring Station AC3 - Channelized nullah across the Project site (Upstream Reference Station)

Date	Time	Weater Condition	Sampling Depth	Water Temperature		pH		Salinity		DO Saturation		DO		Turbidity		Suspended Solids	
			m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
1/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
4/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
6/3/2024	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
8/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
11/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
13/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
15/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
18/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
20/3/2024	-	19:12	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
22/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
25/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												
27/3/2024	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-												

Remarks:
Upstream Monitoring Station (Monitoring Station AC3) would be taken as reference for exceedance investigation only.





Graphic Presentation of WQM Result







Graphic Presentation of WQM Result







Graphic Presentation of WQM Result







Graphic Presentation of WQM Result







Graphic Presentation of WQM Result







Graphic Presentation of WQM Result







Graphic Presentation of WQM Result







Graphic Presentation of WQM Result






Graphic Presentation of WQM Result






Graphic Presentation of WQM Result

Station AC1 - Upstream reference station - Turbidity





Station AC1 - Upstream reference station - Suspended Solid






Graphic Presentation of WQM Result






Graphic Presentation of WQM Result

Station AC2 - Upstream reference station - Turbidity





Station AC2 - Upstream reference station - Suspended Solid






Graphic Presentation of WQM Result





Graphic Presentation of WQM Result

Station AC3 - Upstream reference station - Turbidity



Station AC3 - Upstream reference station - Suspended Solid

