



Water Monitoring Result at Monitoring Station E - Channelized nullah across the Project site (Upstream Control Station)

Date	Time	Weater Condition	Sampling Depth m	Water Temperature °C			pH -			Salinity ppt			DO Saturation %			DO mg/L			Turbidity NTU			Suspended Solids mg/L	
				Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average		
2/6/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-				
4/6/2025	-	Rainy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-				
6/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-				
9/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-				
11/6/2025	-	Rainy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-				
13/6/2025	-	Rainy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-				
16/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-				
18/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-				
20/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-				
23/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-				
25/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-				
27/6/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-				
30/6/2025	10:00	Rainy	Surface	25.80	25.80	25.80	8.10	8.10	8.1	0.06	0.06	0.06	85.40	85.50	85.79	6.95	6.96	7.0	15.83	15.84	15.8	14.0	13.1
	10:02			25.80	25.80		8.10	8.10		0.06	0.06		86.10	86.14		7.01	7.03		15.85	15.85		12.2	

Remarks:
Upstream Monitoring Station (Monitoring Station E) would be taken as control reference for exceedance investigation only.

**Water Monitoring Result at Monitoring Station F - Channelized nullah across the Project site (Downstream Impact Station)**

Date	Time	Weater Condition	Sampling Depth m	Water Temperature °C			pH -			Salinity ppt			DO Saturation %			DO mg/L			Turbidity NTU			Suspended Solids mg/L	
				Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average		
2/6/2025	11:40	Cloudy	Surface	26.10	26.10	26.10	8.32	8.32	8.3	0.10	0.10	0.10	88.20	87.30	87.43	7.13	7.06	7.1	11.41	11.45	11.2	20.1	18.9
	11:42			26.10	26.10		8.32	8.32		0.10	0.10		87.70	86.50		7.05	7.00		11.00	10.97		17.6	
4/6/2025	11:10	Rainy	Surface	24.20	24.20	15.81	8.37	8.37	8.4	0.08	0.08	0.08	87.70	86.00	86.68	7.35	7.20	7.3	16.62	16.83	16.8	21.6	20.6
	11:12			7.42	7.42		8.37	8.37		0.08	0.08		86.20	86.80		7.22	7.28		16.86	16.79		19.6	
6/6/2025	10:38	Fine	Surface	24.90	24.90	24.90	8.28	8.28	8.3	0.09	0.09	0.09	83.50	83.20	83.35	6.90	6.87	6.9	7.45	7.42	7.4	11.1	10.3
	10:40			24.90	24.90		8.28	8.28		0.09	0.09		83.60	83.10		6.90	6.86		7.41	7.49		9.5	
9/6/2025	11:40	Fine	Surface	27.50	27.50	27.50	8.30	8.30	8.3	0.11	0.11	0.11	88.60	89.60	89.13	6.99	7.07	7.0	8.94	8.99	9.0	14.2	15.0
	11:42			27.50	27.50		8.30	8.30		0.11	0.11		89.40	88.90		7.05	7.02		9.03	9.05		15.7	
11/6/2025	9:42	Rainy	Surface	25.80	25.80	25.80	8.03	8.03	8.0	0.09	0.09	0.09	83.30	83.10	83.38	6.77	6.76	6.8	8.94	8.90	8.9	17.2	14.7
	9:44			25.80	25.80		8.03	8.03		0.09	0.09		83.50	83.60		6.79	6.80		8.88	8.86		12.2	
13/6/2025	10:20	Rainy	Surface	25.60	25.60	25.60	7.96	7.96	8.0	0.08	0.08	0.08	88.70	88.50	88.78	7.23	7.21	7.2	16.20	16.18	16.2	14.5	14.2
	10:22			25.60	25.60		7.96	7.96		0.08	0.08		88.90	89.00		7.25	7.26		16.17	16.16		13.9	
16/6/2025	11:15	Fine	Surface	26.78	26.80	26.80	8.25	8.25	8.3	0.12	0.12	0.12	89.60	88.90	88.85	7.17	7.10	7.1	20.74	20.53	20.5	21.8	23.4
	11:17			26.80	26.80		8.25	8.25		0.12	0.12		88.60	88.30		7.08	7.06		20.33	20.22		24.9	
18/6/2025	10:30	Fine	Surface	25.90	25.90	25.90	8.36	8.36	8.4	0.10	0.10	0.10	87.40	87.30	87.45	7.10	7.09	7.1	16.36	16.52	16.4	15.8	20.7
	10:32			25.90	25.90		8.36	8.36		0.10	0.10		87.60	87.50		7.11	7.10		16.45	16.37		25.5	
20/6/2025	10:00	Fine	Surface	25.90	25.90	25.90	8.13	8.13	8.1	0.09	0.09	0.09	83.20	83.70	83.78	6.49	6.80	6.7	17.52	17.59	17.4	5.5	4.4
	10:02			25.90	25.90		8.13	8.13		0.09	0.09		84.00	84.20		6.83	6.85		17.31	17.28		3.3	
23/6/2025	9:10	Fine	Surface	26.00	26.00	26.00	8.10	8.10	8.1	0.09	0.09	0.09	84.40	84.60	84.80	6.84	6.86	6.9	12.70	12.57	12.6	11.6	10.9
	9:12			26.00	26.00		8.10	8.10		0.09	0.09		85.00	85.20		6.90	6.92		12.54	12.43		10.1	
25/6/2025	10:04	Fine	Surface	26.30	26.30	26.30	8.02	8.02	8.0	0.09	0.09	0.09	86.70	86.40	86.48	6.94	6.96	7.0	6.65	6.65	6.7	8.9	6.0
	10:06			26.30	26.30		8.02	8.02		0.09	0.09		86.60	86.20		6.98	6.94		6.77	6.78		3.0	
27/6/2025	10:26	Cloudy	Surface	26.00	26.00	26.00	8.21	8.21	8.2	0.09	0.09	0.09	88.70	88.50	88.38	7.20	7.18	7.2	17.45	17.43	17.4	9.6	12.7
	10:28			26.00	26.00		8.21	8.21		0.09	0.09		88.30	88.00		7.16	7.13		17.44	17.27		15.8	
30/6/2025	10:20	Rainy	Surface	25.90	25.90	25.90	8.04	8.04	8.0	0.06	0.06	0.06	85.30	85.30	85.53	6.93	6.94	7.0	14.77	14.58	14.6	8.9	8.1
	10:22			25.90	25.90		8.04	8.04		0.06	0.06		85.80	85.70		6.97	6.96		14.49	14.36		7.3	

Remarks:
Single underline denotes exceedance over Action Level.
Double underline denotes exceedance over Limit Level.



Water Monitoring Result at Monitoring Station H - Ma Yau Tong Stream (Upstream Control Station)

Date	Time	Weater Condition	Sampling Depth	Water Temperature		pH		Salinity		DO Saturation		DO		Turbidity		Suspended Solids							
				m	°C		-		ppt		%		mg/L		NTU		mg/L						
					Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average					
2/6/2025	9:45	Cloudy	Surface	26.20	26.20	26.20	7.57	7.57	7.6	0.95	0.95	0.95	86.80	87.00	86.95	6.96	6.97	7.0	6.26	6.14	6.1	2.8	3.1
	9:47			26.20	26.20		7.57	7.57		0.95	0.95		86.90	87.10		6.97	6.98		6.03	6.02		3.4	
4/6/2025	9:50	Rainy	Surface	24.50	24.50	24.50	7.35	7.35	7.4	0.72	0.72	0.72	98.80	98.60	98.53	7.35	7.20	7.3	14.28	14.22	14.2	5.4	5.6
	9:52			24.50	24.50		7.35	7.35		0.72	0.72		98.40	98.30		7.22	7.28		14.20	14.19		5.8	
6/6/2025	9:00	Fine	Surface	24.90	24.90	24.90	7.55	7.55	7.6	0.93	0.93	0.93	83.90	85.00	84.73	6.90	6.99	7.0	8.93	8.94	8.9	4.1	4.1
	9:02			24.90	24.90		7.55	7.55		0.93	0.93		85.30	84.70		7.01	6.96		8.94	8.94+		4.0	
9/6/2025	9:45	Fine	Surface	27.10	27.10	27.10	7.46	7.46	7.5	1.05	1.05	1.05	85.70	85.90	85.55	6.76	6.77	6.7	9.53	9.73	10.0	4.6	4.6
	9:47			27.10	27.10		7.46	7.46		1.05	1.05		85.50	85.10		6.73	6.70		10.68	10.15		4.6	
11/6/2025	8:40	Rainy	Surface	26.70	26.70	26.70	7.48	7.48	7.5	1.23	1.23	1.23	78.10	78.10	78.68	6.22	6.23	6.3	25.54	25.33	25.4	21.4	26.1
	8:42			26.70	26.70		7.48	7.48		1.23	1.23		79.10	79.40		6.30	6.34		25.32	25.31		30.8	
13/6/2025	9:15	Rainy	Surface	25.50	25.50	25.50	8.31	8.31	8.3	0.17	0.17	0.17	91.30	91.10	90.65	7.47	7.45	7.4	78.25	78.15	77.9	86.8	96.4
	9:17			25.50	25.50		8.31	8.31		0.17	0.17		90.00	90.20		7.37	7.39		77.86	77.53		106.0	
16/6/2025	9:05	Fine	Surface	26.80	26.80	26.80	7.64	7.64	7.6	0.88	0.88	0.88	94.40	93.90	91.35	7.49	7.45	7.4	9.99	9.99	10.0	4.9	4.7
	9:07			26.80	26.80		7.64	7.64		0.88	0.88		93.60	83.50		7.43	7.42		9.99	10.00		4.5	
18/6/2025	8:40	Fine	Surface	25.90	25.90	25.90	8.25	8.25	8.3	0.45	0.45	0.45	85.40	84.70	85.45	6.91	6.86	6.9	25.86	25.83	25.9	16.6	18.4
	8:42			25.90	25.90		8.25	8.25		0.45	0.45		85.40	86.30		6.91	6.99		25.84	26.12		20.2	
20/6/2025	9:15	Fine	Surface	26.50	26.50	26.50	7.86	7.86	7.9	0.48	0.48	0.48	87.30	87.20	87.23	6.98	6.96	7.0	50.61	50.62	50.6	46.2	46.5
	9:17			26.50	26.50		7.86	7.86		0.48	0.48		87.40	87.00		6.98	6.95		50.62	50.60		46.8	
23/6/2025	9:30	Fine	Surface	26.30	26.30	26.30	7.84	7.84	7.8	0.40	0.40	0.40	83.30	83.30	83.20	6.69	6.70	6.7	20.51	20.59	20.6	18.8	19.6
	9:32			26.30	26.30		7.84	7.84		0.40	0.40		83.10	83.10		6.68	6.67		20.68	20.63		20.3	
25/6/2025	8:40	Fine	Surface	27.20	27.20	27.20	7.33	7.33	7.3	0.70	0.70	0.70	89.00	88.40	88.63	7.03	6.98	7.0	10.69	10.66	10.6	9.4	9.6
	8:42			27.20	27.20		7.33	7.33		0.70	0.70		88.60	88.50		7.00	7.00		10.46	10.47		9.8	
27/6/2025	9:10	Cloudy	Surface	26.40	26.40	26.40	8.01	8.01	8.0	0.56	0.56	0.56	86.00	86.20	86.25	6.90	6.92	6.9	251.60	251.60	251.6	212.0	209.5
	9:12			26.40	26.40		8.01	8.01		0.56	0.56		86.40	86.40		6.94	6.94		251.50	251.60		207.0	
30/6/2025	9:00	Rainy	Surface	25.90	25.20	25.55	7.93	7.93	7.9	0.44	0.44	0.44	84.30	84.60	84.75	6.91	6.94	7.0	20.21	20.17	20.2	9.8	10.4
	9:02			25.90	25.20		7.93	7.93		0.44	0.44		84.90	85.20		6.97	6.99		20.16	20.12		11.0	

Remarks:

Upstream Monitoring Station (Monitoring Station H) would be taken as control reference for exceedance investigation only.

Water Monitoring Result at Monitoring Station I - Ma Yau Tong Stream (Downstream Impact Station)

Date	Time	Weater Condition	Sampling Depth	Water Temperature			pH			Salinity			DO Saturation			DO			Turbidity			Suspended Solids	
			m	°C		-		ppt		%		mg/L		NTU		mg/L							
				Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average				
2/6/2025	10:55	Cloudy	Surface	26.30	26.30	26.30	7.80	7.80	7.8	0.46	0.46	0.46	88.70	88.40	88.33	7.14	7.12	7.1	4.93	4.92	4.9	1.7	2.0
	10:57			26.30	26.30		7.80	7.80		0.46	0.46		88.20	88.00		7.10	7.09		4.88	4.87		2.2	
4/6/2025	10:15	Rainy	Surface	24.70	24.70	24.70	7.45	7.45	7.5	0.40	0.40	0.40	92.40	92.40	92.35	8.10	8.09	8.1	13.07	13.00	13.0	9.0	9.2
	10:17			24.70	24.70		7.45	7.45		0.40	0.40		92.30	92.30		8.09	8.08		12.99	12.96		9.4	
6/6/2025	9:35	Fine	Surface	25.00	25.00	25.00	7.75	7.75	7.8	0.43	0.43	0.43	89.20	89.50	89.25	7.34	7.37	7.3	11.46	11.40	11.3	9.5	9.1
	9:37			25.00	25.00		7.75	7.75		0.43	0.43		89.20	89.10		7.34	7.33		11.16	11.15		8.7	
9/6/2025	10:35	Fine	Surface	27.20	27.20	27.20	7.64	7.64	7.6	0.46	0.46	0.46	80.10	81.70	81.50	6.33	6.45	6.4	8.85	8.84	8.8	14.9	14.3
	10:37			27.20	27.20		7.64	7.64		0.46	0.46		81.90	82.30		6.47	6.50		8.83	8.83		13.7	
11/6/2025	9:00	Rainy	Surface	26.60	26.60	26.60	7.33	7.33	7.3	1.02	1.02	1.02	77.20	77.30	77.18	6.15	6.16	6.1	14.89	14.89	14.9	17.4	17.7
	9:02			26.60	26.60		7.33	7.33		1.02	1.02		77.00	77.20		6.13	6.15		14.88	14.87		18.0	
13/6/2025	9:36	Rainy	Surface	25.70	25.70	25.70	7.93	7.93	7.9	0.14	0.14	0.14	93.90	93.70	93.53	7.65	7.64	7.6	100.30	100.10	100.1	77.2	77.7
	9:38			25.70	25.70		7.93	7.93		0.14	0.14		93.30	93.20		7.60	7.59		100.00	100.00		78.1	
16/6/2025	9:40	Fine	Surface	26.60	26.60	26.60	7.80	7.80	7.8	0.45	0.45	0.45	89.70	89.10	89.13	7.08	7.12	7.1	10.17	10.20	10.3	4.5	4.9
	9:42			26.60	26.60		7.80	7.80		0.45	0.45		89.10	88.60		7.12	7.08		10.35	10.38		5.2	
18/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-			
20/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-			
23/6/2025	9:45	Fine	Surface	26.50	26.50	26.50	7.82	7.82	7.8	0.39	0.39	0.39	89.80	90.20	90.18	7.19	7.22	7.2	16.62	16.58	16.5	11.0	11.7
	9:47			26.50	26.50		7.82	7.82		0.39	0.39		90.40	90.30		7.24	7.23		16.43	16.31		12.4	
25/6/2025	9:15	Fine	Surface	26.70	26.70	26.70	7.92	7.92	7.9	0.40	0.40	0.40	90.80	89.60	90.08	7.25	7.16	7.2	4.14	4.14	4.1	3.2	3.3
	9:17			26.70	26.70		7.92	7.92		0.40	0.40		90.00	89.90		7.19	7.18		4.16	4.15		3.3	
27/6/2025	9:39	Cloudy	Surface	26.30	26.30	26.30	7.96	7.96	8.0	0.32	0.32	0.32	90.00	89.70	89.73	7.25	7.23	7.2	15.12	15.23	15.2	4.6	5.9
	9:41			26.30	26.30		7.96	7.96		0.32	0.32		89.50	89.70		7.22	7.23		15.24	15.29		7.1	
30/6/2025	9:25	Rainy	Surface	25.20	25.10	25.15	7.85	7.85	7.9	0.30	0.30	0.30	85.60	85.70	85.90	7.02	7.03	7.0	20.99	20.58	20.7	10.4	10.5
	9:27			25.20	25.10		7.85	7.85		0.30	0.30		86.20	86.10		7.07	7.06		20.59	20.55		10.5	

Remarks:

Single underline denotes exceedance over Action Level.

Double underline denotes exceedance over Limit Level.

**Water Monitoring Result at Monitoring Station AC1 - Channelized nullah across the Project site (Upstream Reference Station)**

Date	Time	Weater Condition	Sampling Depth m	Water Temperature °C			pH -			Salinity ppt			DO Saturation %			DO mg/L			Turbidity NTU			Suspended Solids mg/L	
				Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average
2/6/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4/6/2025	-	Rainy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11/6/2025	-	Rainy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13/6/2025	-	Rainy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27/6/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30/6/2025	-	Rainy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Remarks:

Upstream Monitoring Station (Monitoring Station AC1) would be taken as reference for exceedance investigation only.

**Water Monitoring Result at Monitoring Station AC2 - Channelized nullah across the Project site (Upstream Reference Station)**

Date	Time	Weater Condition	Sampling Depth m	Water Temperature °C		pH -		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		Suspended Solids mg/L							
				Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average						
			2/6/2025	11:30	Cloudy	Surface	25.90	25.90	25.90	8.33	8.33	8.3	0.10	0.10	0.10	91.10	90.80	90.68	7.39	7.36	7.4	11.82	11.93
11:32	25.90	25.90		8.33			8.33	0.10		0.10	90.30		90.50	7.32		7.34	11.95		11.99	22.5			
4/6/2025	11:00	Rainy	Surface	24.20	24.20	74.20	8.36	8.36	8.4	0.09	0.09	0.09	89.00	88.60	88.48	7.46	7.43	7.4	12.23	12.23	14.7	19.5	16.4
	11:02			224.20	24.20		8.36	8.36		0.09	0.09		88.30	88.00		7.40	7.38		17.17	17.02		13.3	
6/6/2025	10:15	Fine	Surface	24.80	24.80	24.80	8.27	8.27	8.3	0.09	0.09	0.09	84.50	85.70	85.45	7.00	7.09	7.1	8.12	8.11	8.1	8.3	10.4
	10:17			24.80	24.80		8.27	8.27		0.09	0.09		86.00	85.60		7.12	7.08		8.11	8.10		12.4	
9/6/2025	11:30	Fine	Surface	27.50	27.50	27.50	8.30	8.30	8.3	0.11	0.11	0.11	85.80	85.10	86.18	6.79	6.73	6.8	9.36	9.51	9.3	32.0	22.0
	11:32			27.50	27.50		8.30	8.30		0.11	0.11		86.60	87.20		6.85	6.89		9.24	9.28		11.9	
11/6/2025	9:32	Rainy	Surface	25.70	25.70	25.70	8.05	8.05	8.1	0.09	0.09	0.09	85.80	85.40	85.43	6.99	6.96	7.7	9.10	9.08	9.1	22.0	16.3
	9:34			25.70	25.70		8.05	8.05		0.09	0.09		85.20	85.30		6.94	9.95		9.07	9.07		10.6	
13/6/2025	10:10	Rainy	Surface	25.60	25.60	25.60	7.96	7.96	8.0	0.08	0.08	0.08	90.80	90.14	90.29	7.42	7.38	7.4	17.28	17.26	17.2	19.6	17.1
	10:12			25.60	25.60		7.96	7.96		0.08	0.08		90.20	90.00		7.36	7.34		17.08	17.10		14.5	
16/6/2025	11:05	Fine	Surface	27.20	27.20	27.20	8.25	8.25	8.2	0.12	0.12	0.12	87.70	89.00	88.48	6.97	7.07	7.0	21.41	21.23	21.2	25.2	27.6
	11:07			27.20	27.20		8.25	8.20		0.12	0.12		88.70	88.50		7.04	7.02		21.18	21.06		29.9	
18/6/2025	10:20	Fine	Surface	25.80	25.80	25.80	8.37	8.37	8.4	0.10	0.10	0.10	85.10	85.80	85.50	6.92	6.98	7.0	18.43	18.03	17.9	11.4	12.8
	10:22			25.80	25.80		8.37	8.37		0.10	0.10		85.70	85.40		6.97	6.95		17.60	17.49		14.2	
20/6/2025	9:50	Fine	Surface	25.80	25.80	25.80	8.14	8.14	8.1	0.09	0.09	0.09	90.30	90.90	90.73	7.34	7.39	7.4	18.21	18.25	17.7	6.1	5.7
	9:52			25.80	25.80		8.14	8.14		0.09	0.09		90.90	90.80		7.39	7.38		17.28	17.25		5.2	
23/6/2025	9:00	Fine	Surface	25.80	25.80	25.80	8.12	8.12	8.1	0.09	0.09	0.09	82.00	82.30	81.98	6.65	6.68	6.7	10.96	10.96	11.0	11.1	10.2
	9:02			25.80	25.80		8.12	8.12		0.09	0.09		81.90	81.70		6.65	6.63		10.95	10.93		9.2	
25/6/2025	9:54	Fine	Surface	26.10	26.10	26.10	8.03	8.03	8.0	0.09	0.09	0.09	88.90	89.20	89.00	7.18	7.20	7.2	6.40	6.39	6.4	5.0	5.1
	9:56			26.10	26.10		8.03	8.03		0.09	0.09		88.90	89.00		7.18	7.18		6.38	6.38		5.1	
27/6/2025	10:16	Cloudy	Surface	25.80	25.80	25.80	8.22	8.22	8.2	0.09	0.09	0.09	89.80	89.70	89.73	7.28	7.27	7.3	17.90	17.80	17.6	19.1	19.1
	10:18			25.80	25.80		8.22	8.22		0.09	0.09		89.80	89.60		7.28	7.26		17.28	17.23		19.1	
30/6/2025	10:10	Rainy	Surface	25.80	25.80	25.80	8.06	8.06	8.1	0.06	0.06	0.06	88.20	88.30	88.30	7.18	7.18	7.2	15.23	15.17	15.2	14.6	14.2
	10:12			25.80	25.80		8.06	8.06		0.06	0.06		88.30	88.40		7.18	7.19		15.16	15.15		13.8	

Remarks:
Upstream Monitoring Station (Monitoring Station AC2) would be taken as reference for exceedance investigation only.



**Water Monitoring Result at Monitoring Station AC3 - Channelized nullah across the Project site (Upstream Reference Station)**

Date	Time	Weater Condition	Sampling Depth m	Water Temperature °C			pH -			Salinity ppt			DO Saturation %			DO mg/L			Turbidity NTU			Suspended Solids mg/L	
				Value		Average	Value		Average	Value		Average	Value		Average	Value		Average	Value		Average	Value	Average
2/6/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
4/6/2025	-	Rainy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
6/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
9/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
11/6/2025	-	Rainy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
13/6/2025	-	Rainy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
16/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
18/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
20/6/2025	10:18	Fine	Surface	25.60	25.60	25.60	7.68	7.68	7.7	0.09	0.09	0.09	84.60	84.50	84.33	6.90	6.90	6.9	12.15	12.11	12.1	4.1	4.3
	10:20			25.60	25.60		7.68	7.68		0.09	0.09		84.60	83.60		6.91	6.82		12.08	12.07		4.4	
23/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
25/6/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
27/6/2025	10:36	Cloudy	Surface	25.80	25.80	25.80	8.20	8.20	8.2	0.09	0.09	0.09	89.60	89.30	89.13	7.35	7.34	7.3	12.51	12.52	15.0	5.0	6.8
	10:38			25.80	25.80		8.20	8.20		0.09	0.09		88.90	88.70		7.30	7.28		17.52	17.53		8.6	
30/6/2025	10:30	Rainy	Surface	25.90	25.90	25.90	8.04	8.00	8.0	0.06	0.06	0.06	87.90	87.40	87.50	7.15	7.10	7.1	14.87	14.84	14.8	7.2	7.7
	10:32			25.90	25.90		8.04	8.04		0.06	0.06		87.00	87.70		7.05	7.08		14.83	14.83		8.2	

Remarks:
Upstream Monitoring Station (Monitoring Station AC3) would be taken as reference for exceedance investigation only.




Graphic Presentation of WQM Result






Graphic Presentation of WQM Result

Station E - Channelized nullah across the Project site (Upstream Control Station) - Turbidity





Station E - Channelized nullah across the Project site (Upstream Control Station)
- Suspended Solid







Graphic Presentation of WQM Result







Graphic Presentation of WQM Result






Graphic Presentation of WQM Result






Graphic Presentation of WQM Result

Station H - Ma Yau Tong Stream (Upstream Control Station) - Turbidity





Station H - Ma Yau Tong Stream (Upstream Control Station) - Suspended Solid






Graphic Presentation of WQM Result






Graphic Presentation of WQM Result






Graphic Presentation of WQM Result

Station AC1 - Upstream reference station - pH




Station AC1 - Upstream reference station - DO






Graphic Presentation of WQM Result

Station AC1 - Upstream reference station - Turbidity





Station AC1 - Upstream reference station - Suspended Solid






Graphic Presentation of WQM Result






Graphic Presentation of WQM Result

Station AC2 - Upstream reference station - Turbidity





Station AC2 - Upstream reference station - Suspended Solid






Graphic Presentation of WQM Result





Graphic Presentation of WQM Result

Station AC3 - Upstream reference station - Turbidity



Station AC3 - Upstream reference station - Suspended Solid

