



Water Monitoring Result at Monitoring Station E - Channelized nullah across the Project site (Upstream Control Station)

Date	Time	Weater Condition	Sampling Depth m	Water Temperature °C			pH -			Salinity ppt			DO Saturation %			DO mg/L			Turbidity NTU			Suspended Solids mg/L	
				Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average
1/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
3/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
5/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
10/9/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
12/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
15/9/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
17/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
22/9/2025	9:26	Fine	Surface	24.10	24.10	24.10	7.28	7.28	7.3	0.03	0.03	0.03	108.30	108.50	108.28	9.10	9.11	9.1	16.16	16.16	16.2	5.9	5.9
	9:28			24.10	24.10		7.28	7.28		0.03	0.03		108.20	108.10		9.09	9.08		16.16	16.16		5.9	
26/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-
30/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	-

Remarks:
Upstream Monitoring Station (Monitoring Station E) would be taken as control reference for exceedance investigation only.



Water Monitoring Result at Monitoring Station F - Channelized nullah across the Project site (Downstream Impact Station)

Date	Time	Weater Condition	Sampling Depth	Water Temperature			pH			Salinity			DO Saturation			DO			Turbidity			Suspended Solids	
				m	°C		-		Average	ppt		Average	%		Average	mg/L		Average	NTU		Average	mg/L	
					Value	Average	Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average
1/9/2025	10:15	Fine	Surface	25.30	25.30	25.30	7.57	7.57	7.6	0.05	0.05	0.05	113.30	112.70	112.48	9.31	9.25	9.2	4.42	4.35	4.4	2.6	3.3
	10:17			25.30	25.30		7.57	7.57		0.05	0.05		112.10	111.80		9.20	9.18		4.40	4.48		4.0	
3/9/2025	9:20	Fine	Surface	25.00	25.00	25.00	7.79	7.79	7.8	0.04	0.04	0.07	110.50	110.60	110.18	9.13	9.13	9.1	8.42	8.35	8.3	8.4	7.7
	9:22			25.00	25.00		7.79	7.79		0.09	0.09		109.90	109.70		9.07	9.05		8.22	8.10		6.9	
5/9/2025	9:55	Fine	Surface	25.10	25.10	25.10	7.43	7.43	7.4	0.05	0.05	0.05	110.10	110.10	109.98	9.08	9.07	9.1	6.74	6.73	6.7	27.4	20.5
	9:57			25.10	25.10		7.43	7.43		0.05	0.05		110.00	109.70		9.07	9.04		6.59	6.59		13.6	
10/9/2025	11:00	Cloudy	Surface	25.20	25.20	25.20	7.49	7.49	7.5	0.05	0.05	0.05	108.40	110.00	109.38	8.92	9.05	9.0	12.14	12.18	12.2	3.3	3.3
	11:02			25.20	25.20		7.49	7.49		0.05	0.05		109.50	109.60		9.00	9.01		12.22	12.21		3.3	
12/9/2025	12:56	Fine	Surface	26.10	26.10	26.10	7.70	7.70	7.7	0.06	0.06	0.06	115.10	114.90	114.90	9.29	9.27	9.3	11.29	11.19	11.1	2.8	2.8
	12:58			26.10	26.10		7.70	7.70		0.06	0.06		114.70	114.90		9.25	9.26		11.06	11.05		2.8	
15/9/2025	9:20	Cloudy	Surface	25.50	25.50	25.50	7.73	7.73	7.7	0.06	0.06	0.06	110.40	110.20	110.20	9.03	9.01	9.0	6.22	6.19	6.2	1.4	1.3
	9:22			25.50	25.50		7.73	7.73		0.06	0.06		110.10	110.10		9.00	9.00		6.18	6.14		1.2	
17/9/2025	11:09	Fine	Surface	26.50	26.50	26.50	7.36	7.36	7.4	0.06	0.06	0.06	106.40	106.50	106.30	8.53	8.54	8.5	5.38	5.35	5.4	1.3	1.4
	11:11			26.50	26.50		7.36	7.36		0.06	0.06		106.20	106.10		8.51	8.50		5.34	5.33		1.4	
22/9/2025	9:36	Fine	Surface	24.00	24.00	24.00	6.97	6.97	7.0	0.03	0.03	0.03	106.40	106.60	106.75	8.92	8.94	9.0	15.82	15.80	15.8	5.4	5.7
	9:38			24.00	24.00		6.97	6.97		0.03	0.03		106.90	107.10		8.97	8.99		15.74	15.77		6.0	
26/9/2025	11:00	Fine	Surface	24.10	24.10	24.10	7.51	7.51	7.5	0.04	0.04	0.04	105.60	105.70	105.68	8.86	8.87	8.9	15.22	15.23	15.2	3.3	3.0
	11:02			24.10	24.10		7.51	7.51		0.04	0.04		105.90	105.50		8.89	8.85		15.24	15.24		2.7	
30/9/2025	10:40	Fine	Surface	24.90	24.90	24.90	7.60	7.60	7.6	0.05	0.05	0.05	111.10	110.70	110.40	9.17	9.14	9.1	6.62	6.63	6.6	2.7	2.7
	10:42			24.90	24.90		7.60	7.60		0.05	0.05		110.20	109.60		9.10	9.04		6.55	6.60		2.7	

Remarks:
Single underline denotes exceedance over Action Level.
Double underline denotes exceedance over Limit Level.



Water Monitoring Result at Monitoring Station H - Ma Yau Tong Stream (Upstream Control Station)

Date	Time	Weater Condition	Sampling Depth m	Water Temperature °C			pH -			Salinity ppt			DO Saturation %			DO mg/L			Turbidity NTU			Suspended Solids mg/L	
				Value		Average	Value		Average	Value		Average	Value		Average	Value		Average	Value		Average	Value	Average
1/9/2025	9:10	Fine	Surface	26.60	26.60	26.60	7.78	7.78	7.8	0.31	0.31	0.31	106.50	106.20	106.10	8.53	8.50	8.5	6.12	6.00	6.0	2.8	2.8
	9:12			26.60	26.60		7.78	7.78		0.31	0.31		105.80	105.90		8.48	8.49		5.89	5.82		2.8	
3/9/2025	9:51	Fine	Surface	26.70	26.70	26.70	7.60	7.60	7.6	0.26	0.26	0.26	105.80	106.20	105.73	8.46	8.49	8.5	5.07	5.06	5.0	2.2	2.1
	9:53			26.70	26.70		7.60	7.60		0.26	0.26		105.60	105.30		8.44	8.41		4.94	4.93		2.0	
5/9/2025	9:10	Fine	Surface	26.60	26.60	26.60	7.46	7.46	7.5	0.31	0.31	0.31	103.90	104.00	103.25	8.31	8.32	8.3	5.19	5.08	4.9	1.7	1.8
	9:12			26.60	26.60		7.46	7.46		0.31	0.31		102.50	102.60		8.20	8.20		4.74	4.78		1.8	
10/9/2025	9:02	Cloudy	Surface	26.30	26.30	26.30	7.93	7.93	7.9	0.25	0.25	0.25	105.90	106.50	105.78	8.53	8.57	8.5	18.32	18.31	18.3	10.6	10.7
	9:04			26.30	26.30		7.93	7.93		0.25	0.25		105.70	105.00		8.51	8.50		18.30	18.30		10.7	
12/9/2025	12:20	Fine	Surface	28.80	28.80	28.80	7.80	7.80	7.8	0.29	0.29	0.29	105.60	105.30	105.45	8.11	8.09	8.1	5.19	5.18	5.2	1.4	1.4
	12:22			28.80	28.80		7.80	7.80		0.29	0.29		105.00	105.90		8.07	8.13		5.18	5.20		1.3	
15/9/2025	8:55	Cloudy	Surface	26.60	26.60	26.60	7.83	7.83	7.8	0.27	0.27	0.27	106.00	106.10	105.63	8.49	8.50	8.5	10.96	10.96	11.0	4.9	5.4
	8:57			26.60	26.60		7.83	7.83		0.27	0.27		105.50	104.90		8.45	8.40		10.95	10.97		5.8	
17/9/2025	10:30	Fine	Surface	27.90	27.90	27.90	7.37	7.37	7.4	0.30	0.30	0.30	104.00	102.80	103.03	8.13	8.03	8.0	10.01	10.00	10.0	4.9	4.9
	10:32			27.90	27.90		7.38	7.37		0.30	0.30		102.60	102.70		8.01	8.02		10.00	10.00		4.8	
22/9/2025	9:00	Fine	Surface	25.30	25.30	25.30	7.95	7.95	8.0	0.18	0.18	0.18	102.80	102.90	102.73	8.44	8.45	8.4	24.93	24.94	25.1	16.0	16.9
	9:02			25.30	25.30		7.95	7.95		0.18	0.18		102.70	102.50		8.43	8.41		25.17	25.24		17.8	
26/9/2025	9:20	Fine	Surface	25.40	25.40	25.33	7.60	7.60	7.6	0.16	0.16	0.16	106.20	106.80	106.23	8.69	8.75	8.7	8.01	8.00	7.9	3.0	2.6
	9:22			25.10	25.40		7.60	7.60		0.16	0.16		106.00	105.90		8.67	8.66		7.91	7.80		2.2	
30/9/2025	8:55	Fine	Surface	25.80	25.80	25.80	7.69	7.69	7.7	0.21	0.21	0.21	103.20	103.00	103.25	8.38	8.36	8.4	7.25	7.24	7.2	1.9	1.6
	8:57			25.80	25.80		7.69	7.69		0.21	0.21		103.30	103.50		8.39	8.41		7.20	7.19		1.2	

Remarks:
Upstream Monitoring Station (Monitoring Station H) would be taken as control reference for exceedance investigation only.



Water Monitoring Result at Monitoring Station I - Ma Yau Tong Stream (Downstream Impact Station)

Date	Time	Weater Condition	Sampling Depth	Water Temperature			pH			Salinity			DO Saturation			DO			Turbidity			Suspended Solids	
				°C			-			ppt			%			mg/L			NTU			mg/L	
				Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average
1/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10/9/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15/9/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Remarks:
Single underline denotes exceedance over Action Level.
Double underline denotes exceedance over Limit Level.

**Water Monitoring Result at Monitoring Station AC1 - Channelized nullah across the Project site (Upstream Reference Station)**

Date	Time	Weater Condition	Sampling Depth m	Water Temperature °C			pH -			Salinity ppt			DO Saturation %			DO mg/L			Turbidity NTU			Suspended Solids mg/L	
				Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average
1/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10/9/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15/9/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Remarks:

Upstream Monitoring Station (Monitoring Station AC1) would be taken as reference for exceedance investigation only.

**Water Monitoring Result at Monitoring Station AC2 - Channelized nullah across the Project site (Upstream Reference Station)**

Date	Time	Weater Condition	Sampling Depth m	Water Temperature °C		pH -		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		Suspended Solids mg/L							
				Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average						
			1/9/2025	10:05	Fine	Surface	25.10	25.10	25.10	7.67	7.67	7.7	0.05	0.05	0.05	114.70	114.90	114.73	9.44	9.45	9.4	5.32	5.47
10:07	25.10	25.10		7.67			7.67	0.05		0.05	114.70		114.60	9.43		9.42	5.48		5.77	3.8			
3/9/2025	9:10	Fine	Surface	24.80	24.80	24.80	7.94	7.94	7.9	0.04	0.04	0.04	107.50	109.50	109.00	8.90	9.07	9.0	9.57	9.99	9.9	18.4	18.4
	9:12			24.80	24.80		7.94	7.94		0.04	0.04		109.80	109.20		9.08	9.01		9.99	10.16		18.4	
5/9/2025	9:45	Fine	Surface	24.90	24.90	24.90	7.41	7.41	7.4	0.05	0.05	0.05	107.30	107.50	107.23	8.86	8.88	8.9	7.07	7.12	7.3	1.4	3.5
	9:47			24.90	24.90		7.41	7.41		0.05	0.05		107.00	107.10		8.83	8.84		7.21	7.65		5.5	
10/9/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
12/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
15/9/2025	0:00	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	0:00			-	-		-	-		-	-		-	-		-	-		-	-		-	
17/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
22/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
26/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
30/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	

Remarks:
Upstream Monitoring Station (Monitoring Station AC2) would be taken as reference for exceedance investigation only.



**Water Monitoring Result at Monitoring Station AC3 - Channelized nullah across the Project site (Upstream Reference Station)**

Date	Time	Weater Condition	Sampling Depth m	Water Temperature °C			pH			Salinity ppt			DO Saturation %			DO mg/L			Turbidity NTU			Suspended Solids mg/L	
				Value		Average	Value		Average	Value		Average	Value		Average	Value		Average	Value		Average	Value	Average
1/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
3/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
5/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
10/9/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
12/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
15/9/2025	-	Cloudy	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
17/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
22/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
26/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	
30/9/2025	-	Fine	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-			-	-		-	-		-	-		-	-		-	-		-	-		-	

Remarks:
Upstream Monitoring Station (Monitoring Station AC3) would be taken as reference for exceedance investigation only.




Graphic Presentation of WQM Result






Graphic Presentation of WQM Result

Station E - Channelized nullah across the Project site (Upstream Control Station) - Turbidity





Station E - Channelized nullah across the Project site (Upstream Control Station)
- Suspended Solid







Graphic Presentation of WQM Result







Graphic Presentation of WQM Result






Graphic Presentation of WQM Result






Graphic Presentation of WQM Result

Station H - Ma Yau Tong Stream (Upstream Control Station) - Turbidity





Station H - Ma Yau Tong Stream (Upstream Control Station) - Suspended Solid






Graphic Presentation of WQM Result







Graphic Presentation of WQM Result






Graphic Presentation of WQM Result






Graphic Presentation of WQM Result

Station AC1 - Upstream reference station - Turbidity





Station AC1 - Upstream reference station - Suspended Solid






Graphic Presentation of WQM Result






Graphic Presentation of WQM Result

Station AC2 - Upstream reference station - Turbidity




Station AC2 - Upstream reference station - Suspended Solid






Graphic Presentation of WQM Result

Station AC3 - Upstream reference station - pH




Station AC3 - Upstream reference station - DO





Graphic Presentation of WQM Result

Station AC3 - Upstream reference station - Turbidity



Station AC3 - Upstream reference station - Suspended Solid

