



SERVICE CONTRACT NO. EDO/01/2017
ENVIRONMENTAL TEAM FOR DEVELOPMENT OF
ANDERSON ROAD QUARRY SITE - ROAD IMPROVEMENT WORKS
Tentative Impact Water Quality, Air Quality and Noise Monitoring Schedule
December 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
25-Nov	26-Nov	27-Nov	28-Nov	29-Nov	30-Nov	1-Dec AQM
2-Dec	3-Dec WQM NM	4-Dec NM	5-Dec WQM	6-Dec	7-Dec WQM AQM	8-Dec
9-Dec	10-Dec WQM NM	11-Dec NM	12-Dec WQM	13-Dec AQM	14-Dec WQM	15-Dec
16-Dec	17-Dec WQM NM	18-Dec	19-Dec WQM AQM	20-Dec	21-Dec WQM	22-Dec
23-Dec	24-Dec WQM AQM NM	25-Dec	26-Dec	27-Dec WQM	28-Dec	29-Dec WQM AQM
30-Dec	31-Dec WQM					

Remark:

1. WQM: Water Quality Monitoring
- AQM: Air Quality Monitoring
- NM: Noise Monitoring

2. Monitoring Location:

Inland Water	Station	Description
Channelized nullah across th project site	E	Upstream Control Station
	F	Downstream Impact Station
Ma Yau Tong Stream	H	Upstream Control Station
	I	Downstream Impact Station

3. The interval between 2 sets of monitoring should not be less than 36 hours



SERVICE CONTRACT NO. EDO/01/2017
ENVIRONMENTAL TEAM FOR DEVELOPMENT OF
ANDERSON ROAD QUARRY SITE - ROAD IMPROVEMENT WORKS
Tentative Impact Water Quality, Air Quality and Noise Monitoring Schedule
January 2019

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
30-Dec	31-Dec	1-Jan	2-Jan	3-Jan	4-Jan	5-Jan
			WQM NM		WQM AQM	
6-Jan	7-Jan	8-Jan	9-Jan	10-Jan	11-Jan	12-Jan
	WQM NM	NM	WQM	AQM	WQM	
13-Jan	14-Jan	15-Jan	16-Jan	17-Jan	18-Jan	19-Jan
	WQM NM	NM	WQM AQM		WQM	
20-Jan	21-Jan	22-Jan	23-Jan	24-Jan	25-Jan	26-Jan
	WQM NM	NM AQM	WQM		WQM	
27-Jan	28-Jan	29-Jan	30-Jan	31-Jan	1-Feb	2-Feb
	WQM AQM NM	NM	WQM			

Remark:

1. WQM: Water Quality Monitoring

AQM: Air Quality Monitoring

NM: Noise monitoring is scheduled at the beginning of each week

2. Monitoring Location:

Inland Water
Channelized nullah across th project site

Ma Yau Tong Stream

Station

Description

E Upstream Control Station
 F Downstream Impact Station
 H Upstream Control Station
 I Downstream Impact Station

3. The interval between 2 sets of monitoring should not be less than 36 hours